

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	37460	switch and port and (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	USPAT	OR	OFF	2005/12/06 15:36
S2	13616	switch and port and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	USPAT	OR	OFF	2005/12/06 15:37
S3	9085	switch and port same (input and output) and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:39
S4	5293	switch and port same (input and output) and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and detection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:40
S5	3580	switch and port same (input and output) and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect\$3) same predetermin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:41
S6	3580	switch and ports same (input and output) and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect\$3) same predetermin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:43
S7	32	(switch and ports same (input and output)).ab. and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect\$3) same predetermin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:48

S8	389	(switch and ((three) first and second and third) with ports same (input and output)) and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect\$3) same predetermin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 15:52
S9	214	(switch and ((three) (first and second and third)) near5 ports same (input and output)) and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect\$3) same predetermin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:18
S10	1	T adj (switch conector) same port same (input and output) and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect\$3) same predetermin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:21
S11	1	T adj (switch connector) same port same (input and output) and switch same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect\$3) same predetermin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:24
S12	7	T adj (switch connector) same port same (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect\$3) same predetermin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:28
S13	12	T near3 (switch) same port same (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect\$3) same predetermin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:34

S14	0	T near2 type near2 (switch) same port same (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect\$3) same predetermin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:35
S15	0	((T near2 type near2 (switch)) or T-switch) same port same (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825") and (detection detect\$3) same predetermin\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:36
S16	7	((T near2 type near2 (switch)) or T-switch) same port same (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:44
S17	649	((T near2 type near2 (switch)) or T-switch duplex) same port same (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:46
S18	9	((T near2 type near2 (switch)) or T-switch T\$1switch) same port same (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:48
S19	17	((T with type near2 (switch)) or T-switch T\$1switch (T adj switch)) same port same (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:53
S20	204	((T with type near2 (switch)) or T-switch T\$1switch (T adj switch)) and port and (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:54
S21	174	((T near2 type near2 (switch)) or T-switch T\$1switch (T adj switch)) and port and (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:58

S22	169	((T adj type adj (switch)) or T-switch T\$1switch (T adj switch)) and port and (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 13:58
S23	18442557	(three near3 input and three near3 output) with switch (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 17:03
S24	819	(three near3 input and three near3 output) with switch and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 17:03
S25	111	(three near3 input and three near3 output) with port same switch and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 17:04
S26	169	((("T" adj type adj (switch)) or "T"-switch T\$1switch ("T" adj switch)) and port and (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:14
S27	425	((("T" adj type adj (connector)) or "T"-connector or T\$1connector or ("T" adj connector)) and port and (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:18
S28	163	((("T" adj type adj (connector)) or "T"-connector or T\$1connector or ("T" adj connector)) and port and (input and output) and detect\$4 and control\$3 and (timer counter flip\$1flop) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:28

S29	101	((("T" adj type adj (connector)) or "T"-connector or T\$1connector or ("T" adj connector)) and port and (input and output) and detect\$4 and control\$3 and (timer counter flip\$1flop) same time and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:32
S30	4	((("T" adj type adj (connector)) or "T"-connector or T\$1connector or ("T" adj connector)) same port same (input and output) and detect\$4 and control\$3 and (timer counter flip\$1flop) same time and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:35
S31	49	((("T" adj type adj (connector)) or "T"-connector or T\$1connector or ("T" adj connector)) and port and port same (input and output) and detect\$4 and control\$3 and (timer counter flip\$1flop) same time and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:06
S32	24	(three near3 input and three near3 output) with port same switch and port same (input and output) and detect\$4 and control\$3 and (timer counter flip\$1flop) same time and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 16:18
S33	625	three with ports same switch and port same (input and output) and detect\$4 and control\$3 and (timer counter flip\$1flop) same time and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:19
S34	70	three adj ports same switch and port same (input and output) and detect\$4 and control\$3 and (timer counter flip\$1flop) same time and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:35
S36	452	370/216.ccls.	USPAT	OR	OFF	2005/12/08 10:47

S37	148	((("Y" adj type adj (switch)) or "Y"-switch Y\$1switch ("Y" adj switch)) and port and (input and output) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:13
S38	70	((("Y" adj type adj (switch)) or "Y"-switch Y\$1switch ("Y" adj switch)) and port and (input and output) and detect\$4 and control\$3 and (timer counter flip\$1flop) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:13
S39	452	370/216.ccls.	USPAT	OR	OFF	2005/12/08 14:35
S40	1	S39 and three adj ports and switch and port same (input and output) and detect\$4 and control\$3 and (timer counter flip\$1flop) same time and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 14:35
S41	1	"6545563".pn.	USPAT	OR	OFF	2005/12/08 14:44
S42	25	("3765020" "3810182" "3840827" "4065736" "4458219" "4490721" "4502027" "4517526" "4637073" "4638190" "4649393" "4652883" "4734751" "4806937" "4890077" "4899118" "4945360" "4961062" "4967201" "4983981" "4994773" "5049841" "5093667" "5317290" "5412414").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 14:55
S43	1	"5963540".PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 14:56
S44	1	"5610913".PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 14:56
S45	4	("5343462" "5430722" "5461607" "5475696").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 14:04
S46	0	WO9923853\$.did.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 14:04
S47	0	"WO9923853\$.did"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 14:04

S48	0	WO199923853\$.did.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 14:05
S49	0	WO-199923853\$.did.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 14:05
S50	0	WO-9923853\$.did.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 14:09
S51	1	"5568479".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 14:10
S52	11	("4993018" "5182750" "5255266" "5280483" "5303236" "5313453" "5315588" "5335222" "5339318" "5343462" "5444699").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 15:13
S53	1	"5355372".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 15:13
S54	18443190	((("T" adj type adj (switch)) or "T"-switch T\$1switch ("T" adj switch)) same (timer counter) (@ad<="19990825" @rlad<="19990825" @rlan<="19990825"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:15
S55	124	((("T" adj type adj (switch)) or "T"-switch T\$1switch ("T" adj switch)) same (timer counter) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:34
S56	1102	((("T" adj type adj (switch)) or "T"-switch T\$1switch ("T" adj switch)) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:36
S57	978	S56 not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:35
S58	1062	("T"-switch ("T" adj switch)) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:37

S59	978	S57 not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:37
S60	2257	(three "3") with port same switch and port same (input and output) and detect\$4 and control\$3 and (timer counter flip\$1flop) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 16:19
S61	765	(three "3") near2 port same switch and port same (input and output) and detect\$4 and control\$3 and (timer counter flip\$1flop) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 16:20
S62	219	(three "3") adj port same switch and port same (input and output) and detect\$4 and control\$3 and (timer counter flip\$1flop) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 16:24
S63	104	(three "3") adj port with switch and port same (input and output) and detect\$4 and control\$3 and (timer counter flip\$1flop) and (@ad<="19990825" @rlad<="19990825" @rlan<="19990825")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 16:24
S64	18	("5428611" "5477540" "5491801" "5537413" "5557607" "5572522" "5633859" "5668951" "5675576" "5675742" "5732087" "5805577" "5898669" "5898670" "6134218" "6151303" "6163542" "6278714").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 22:54